

Deli Tire

ROAD SYMBIOSIS

DRIVE
YOUR
SOUL




BICYCLE
2 0 1 9

DRIVE YOUR SOUL |

This is our new
thought.
With DeliTires
you will be able
to drive your
soul and all
your feeling
will be on the
ground, for an
efficient and
safe travel.
Be yourself,
get your goal
and track your
path.

Deli Tire
ROAD SYMBIOSIS

Index



DATA SHEETS

INFO

36

SIZE

44

VALVE

48

ROAD SYM- BIOSIS |

Our Symbiosis with the Road comes from over 50 years of experience in rubber manufacturing. Following the human evolution process we provided shoes in the very beginning, then moving on and creating bicycle tires and tubes. Deli Tires manufactures a wide range of the tire products, from wheelbarrows tires to high performance car tires.

That's why we are the human motion technology experts.

To seek the perfect journey you only need the perfect companion. You choose the destination, we take care of how to get you there. Safe and quickly. No matter which path you choose or the conditions you face, we will always be there, supporting you.

Deli Tire
ROAD SYMBIOSIS


SAFE AND SAVE

Deli Tire products come with different antipuncture technologies available on request. Special rubber layers are conceived to protect tires and improve durability.


Deli Tire
ROAD SYMBIOSIS

AST AUTO SEALANT TUBE

Auto Sealant Tube is our latest technology that allows riders to continue their race even after the tire has been punctured by an external object. Auto Sealant Tube symbol will be used to identify all Deli Tire products featuring this new technology.



HOW IT WORKS

-  Tire is fitted with inner tube with prefilled sealant gel.
-  When puncture occurred on the tire/tube, the Sealant Gel get seeps out to the damage area and seal the leak.
-  In the case external object is extracted from the tire, the gel will seal the hole itself without affecting the tire performance.

PRBB

PUNCTURE RESISTANCE BREAKER BELT



High Quality Compound combination: Tread compound designed for good balance of wear resistance and grip in wet and dry conditions, a long lasting layer for perfect road contact. Extremely tough rubber layer at the base of the tread improves stability and manoeuvrability, reducing rolling resistance and providing puncture resistance.

High strength nylon fabric casing plies to support load and pressure. High tensile bead wire to ensure safety when carrying a heavy load.

HRPR

HARD RUBBER PUNCTURE RESISTANCE



Hard Rubber Puncture Resistance is a Deli Tire Technology, designed to improve durability. With a protective layer under the tread to protect tire/tube from puncture and damages providing a more confident and safer ride.

UPP

ULTIMATE PUNCTURE PROTECTION



Deli UPP tire technology is our latest anti-damage innovation with extra-thick 7.5 mm flexigum under the tread plus one breaker layer providing maximum puncture protection.

+ TOP TIP

TIRE PRESSURE

To prevent a flat bike tire, you should always make sure that you are riding with proper tire pressure. Each tire has a preferred air-pressure range, which is measured in psi (pounds per square inch). Look on the tire sidewall for the recommended pressure.

As a general rule:


Road tires should run between 100 to 140 psi.

Mountain bike tires should run between 30 to 50 psi.

Urban and casual bike tire should run between 60 and 80 psi.

Under-inflation can lead to problems with "pinch flats." This can occur when you hit a bump and your under-inflated tire compresses all the way to the rim, causing 2 small holes that resemble a snake bite. Over-inflation, on the other hand, doesn't cause flats although it's possible to blow out the tube in extreme cases.

Use a tire pump or gauge to check your pressure. Higher-end tire pumps will include a psi gauge, but if you have a lower-end pump, you'll need to carry your own tire pressure gauge. Be sure to know whether you have a Presta or Schrader valve stem (the slimmer Presta valve needs to have the top nut unscrewed before checking pressure).




TONE YOUR TIRE

Customize your tires: we deliver upon request color tire compounds suitable for every occasion. Stylish and bright colors make your bicycle fashionable the way you like it.



ALL WITH FAT



Deli Tire introduces BIG BUDDY, it's first tire dedicated to the ultimate generation of adventurous riders. Snow, mud or sand? Just try new experiences.

Deli Tire
ROAD SYMBIOSIS

FAT TIRE



BIG BUDDY

SA-280

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 4.0	100-559	SS	30	2.0





CREATE - A T E WIND

Road can be control by you.
Take your chance to get the full power and safety from
your bike through our tires.

Deli Tire
ROAD SYMBIOSIS



127 TPI
ARAMID FOLDING BEAD
SA-205

TPI

THREADS PER INCH

Threads per inch is the acronym commonly used to measure the casing thread density. Higher TPI usually consists of finer weaves which made the tire more supple, light weigh, and better rolling resistance.

FT

FOLDING TIRES

Aramid Bead. In a folding tire the wire is replaced with a bundle of Aramid fibers that allows it to fold easily. It also makes the tire lighter. Flexible Steel Bead Flexible Steel Bead is made of several strands of fine wire inside and rubber coated. It offers the convenience with the flexibility to be folded yet provides the durability and strength.



S-139

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27 x 1	25-630	SS	73 - 100	5,0 - 6,9
27 x 1 1/4	32-630	SS	73 - 100	5,0 - 6,9



S-140

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27 x 1 1/8	28-630	SS	73 - 100	5,0 - 6,9
27 x 1 1/4	32-630	SS	73 - 100	5,0 - 6,9
700 x 28C	28-622	SS	80 - 102	5,5 - 7,0



S-145

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27 x 1 1/4	32-630	SS	73 - 100	5,0 - 6,9



S-147

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 20C	20-622	SS	80 - 100	5,5 - 6,9
700 x 23C	23-622	SS	80 - 100	5,5 - 6,9
700 x 25C	25-622	SS	80 - 102	5,5 - 7,0



S-194

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 20C	20-622	SS	80 - 100	5,5 - 6,9



S-195

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 23C	23-622	SS	80 - 100	5,5 - 6,9

Deli Tire



S-601

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 20C	20-622	SS	80 - 120	5,5 - 8,3
700 x 23C	23-622	SS	80 - 120	5,5 - 8,3
700 x 25C	25-622	SS	80 - 102	5,5 - 7,0
700 x 28C	28-622	SS	80 - 102	5,5 - 7,0



SA-603

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 28C	28-622	SS	80 - 102	5,5 - 7,0



SA-205

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 23C	22-622	SS	80 - 120	5,5 - 8,3
700 x 25C	25-622	SS	80 - 102	5,5 - 7,0



SA-215

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 23C	23-622	SS	80 - 120	5,5 - 8,3



SA-249

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 23C	23-622	SS	80 - 120	5,5 - 8,3
700 x 25C	25-622	SS	80 - 102	5,5 - 7,0



SA-267

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 24C	24-622	SS	80 - 102	5,5 - 7,0

RUN THE CITY

Plug the electrical mobility.
Deli Tire propose a range of high quality tires specifically designed for E-bikes.



CYCLE E-BIKE

Pedelec is the latest innovation in the cycling business, an ideal environmental friendly vehicle for short to medium commuting.
Deli Tire propose a range of high quality tires specifically designed for E-bikes.

RESISTANCE RELIABILITY ON TOP

Deli Tire e-bike ready are suitable to be equipped on pedelec, built for prolonged application on the ground even at higher speed.





SA-234

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



SA-235

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5



SA-206

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5



SA-234

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 45C	47-622	SS	35 - 65	2,4 - 4,5



SA-262

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



RUN THE CITY

Plug the electrical mobility.
Deli Tire propose a range of high quality tires specifically
designed for E-bikes.



LIGHT UP THE CITY

There are trails that are part of your life, belonging to places that you find day after day. In those places you know that a hello is never denied. No matter what weather or what kind of trail you daily face, ride safely in the city by choosing Deli Tire products.

REFLECTIVE SAFE WITH REFLECTIVE LINES

We provide RL technology for each product upon request. Tires with Reflective Lines* make cyclists highly visible when illuminated, a perfect solution as a replacement for wheel reflectors.

ECE-R88
CERTIFICATION

RELIABILITY AVOID PUNCTURES

Modern cities are full of obstacles, some of our bicycle's worst enemies are pieces of glass, nails and screws forgotten on the road.

Deli Tire provides a list of antipuncture technologies available upon request. Do not miss your next appointment, think it now and choose Deli Tire.



S-116

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27 x 1 3/8	37-630	SS	44 - 100	3,0 - 6,9
18 x 1.75	47-335	HB	35 - 50	2,4 - 3,5



S-139

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1 3/8	37-451	SS	35 - 50	2,4 - 3,5
24 x 1 3/8	37-540	SS	44 - 70	3,0 - 4,8
26 x 1 1/4	32-597	SS	58 - 100	4,0 - 6,9



S-140

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26x1 3/8x1 1/8	28-590	SS	80 - 100	5,5 - 6,9
700 x 32C	32-622	SS	50 - 80	3,5 - 5,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



S-141

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.75 x 2	42-406	SS	35 - 50	2,4 - 3,5
24 x 1.75 x 2	42-507	SS	35 - 65	2,4 - 4,5
26 x 1.75 x 2	42-559	SS	50 - 65	3,5 - 4,5
28 x 1.75	47-622	SS	35 - 65	2,4 - 4,5
28 x 1.75 x 2	47-622	SS	35 - 65	2,4 - 4,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



S-146

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5
26 x 2.125	57-559	HB	35 - 65	2,4 - 4,5



S-151

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1 3/8	37-590	SS	44 - 70	3,0 - 4,8



S-154

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5
26x2x1 1/2	54-584	SS	50 - 65	3,5 - 4,5



S-172

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
650 x 35B	35-584	SS	44 - 65	3,0 - 4,5



S-161

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1 3/8	37-590	SS	44 - 70	3,0 - 4,8
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5



S-192

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 28C	28-622	SS	80 - 102	5,5 - 7,0
700 x 32C	32-622	SS	50 - 80	3,5 - 5,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



S-193

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26x1 1/2x1 5/8	44-584	SS	50 - 65	3,5 - 4,5



S-198

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



S-602

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5



S-604

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1 3/8	37-540	SS	44 - 70	3,0 - 4,8
26 x 1 3/8	37-590	SS	44 - 70	3,0 - 4,8
28 x 1 1/2	40-635	SS	35 - 65	2,4 - 4,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



S-611

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1,50	40-559	HB	35 - 65	2,4 - 4,5



SA-204

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 2,30	-	HB	35 - 50	2,4 - 3,5



SA-206

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1,75	47-406	HB	35 - 50	2,4 - 3,5
22 x 1,75	47-456	HB	35 - 50	2,4 - 3,5
24 x 1,75	47-507	HB	35 - 65	2,4 - 4,5
26 x 1,75	47-559	HB	35 - 65	2,4 - 4,5
26 x 2,10	54-559	HB	35 - 65	2,4 - 4,5



SA-207

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 37C	37-622	SS	50 - 80	3,5 - 5,5



SA-209

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5
700 x 45C	47-622	SS	35 - 65	2,4 - 4,5



SA-214

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1 3/8	37-590	SS	44 - 70	3,0 - 4,8
28 x 1 1/2	40-635	SS	35 - 65	2,4 - 4,5



SA-216

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



SA-218

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
28 x 1 1/2	40 - 635	SS	35 - 65	2,4 - 4,5



SA-220

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
28 x 1 1/2	40 - 635	SS	35 - 65	2,4 - 4,5



SA-225

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26x1,38/1,40	37-559	HB	35 - 65	2,4 - 4,5
26 x 1,75	47-559	HB	35 - 65	2,4 - 4,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5
27,5 x 1,75	47-584	SS	35 - 65	2,4 - 4,5
29 x 1,75	47-622	SS	35 - 65	2,4 - 4,5





SA-228

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5



SA-230

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



SA-251

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.00	54-507	HB	35 - 65	2,4 - 4,5
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5
26 x 2.125	57-559	HB	35 - 65	2,4 - 4,5



SA-252

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.125	57-507	HB	35 - 65	2,4 - 4,5
26 x 2.125	57-559	HB	35 - 65	2,4 - 4,5



SA-234

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5
28 x 1 1/2	40-635	SS	35 - 65	2,4 - 4,5
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5
700 x 45C	47-622	SS	35 - 65	2,4 - 4,5



SA-235

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.50	40-406	HB	35 - 50	2,4 - 3,5
26 x 1.15	32-559	HB	35 - 65	2,4 - 4,5
26 x 1.50	40-559	HB	35 - 65	2,4 - 4,5
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5



SA-256

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 45C	47-622	SS	35 - 65	2,4 - 4,5



S-601

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27.5 x 1.75	47-584	SS	35 - 65	2,4 - 4,5
29 x 1.75	47-622	SS	35 - 65	2,4 - 4,5



SA-237

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27 x 1 3/8	37-630	SS	44 - 100	3,0 - 6,9



SA-240

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



SA-262

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 35C	37-622	SS	50 - 80	3,5 - 5,5



SA-265

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 38C	40-622	SS	50 - 80	3,5 - 5,5



SA-269

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 28C	28-622	SS	80 - 102	5,5 - 7,0



SA-274

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
700 x 40C	42-622	SS	35 - 65	2,4 - 4,5



SA-283

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1,75	47-559	HB	35 - 65	2,4 - 4,5



SA-282

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
22 x 1,95	50-456	HB	35 - 65	2,4 - 4,5
24 x 1,95	50-507	HB	35 - 65	2,4 - 4,5
26 x 1,95	50-559	HB	35 - 65	2,4 - 4,5

+ TOP TIP


RIDE SAFELY

While everyone knows that they should wear a helmet when riding a bike, not everyone does because helmets can be hot and uncomfortable. But that doesn't mean that's a valid excuse to avoid wearing one. According to the Hospital for Sick Children in Toronto, wearing a bike helmet can make the difference between walking away from a fall unharmed, and being in the hospital with a serious head injury.

To find your size, wrap a flexible tape measure around the largest portion of your head—about 1 in. above your eyebrows. Or, wrap a string or ribbon around your head, then measure the length of string with a straight-edge ruler or yardstick.

To adjust the fit, first expand the sizing wheel before you place a helmet on your head. Almost all helmets have a sizing wheel on the back of the helmet's internal sizing ring.

Next, buckle and tighten the chinstrap. The straps should form a "V" as they rest under each ear. Adjust the straps around both ears until you have a comfortable fit.



BIG MONSTER



SA-238

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 2.125	57-406	HB	35 - 50	2,4 - 3,5
24 x 2.125	57-507	HB	35 - 65	2,4 - 4,5
26 x 2.125	57-559	HB	35 - 65	2,4 - 4,5



SA-272

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
28 x 2.00	50-622	SS	35 - 65	2,4 - 4,5



SA-275

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2,35	60-559	HB	35 - 65	2,4 - 4,5
29 x 2,35	60-622	SS	35 - 65	2,4 - 4,5

STOP ANY MORE

Everyone has his own inner eagle ready to spread the wings and run wild. Understanding the needs that move your passion, Deli Tire took care in offering you the best claws.

Deli Tire
ROAD SYMBIOSIS

DOWN THE HILLS

Everyone has his own inner eagle ready to spread the wings and run wild. Understanding the needs that move your passion, Deli Tire took particular care in offering you the best claws. Thanks to our off-road tires you will feel free to explore your skills and to proof yourself how fast you are.

29"

ENJOY THE BIGGER DIAMETER

29", the revolution for MTB. This latest innovative diameter of the wheel provides improved roll-over, better stability and traction, as well as great comfort. Deli Tire for 29er are the best choice for equipping your MTB, Trail or Enduro bike.



S-160

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.00	54-507	HB	35 - 65	2,4 - 4,5
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



S-168

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.00	57-507	HB	35 - 65	2,4 - 4,5
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



S-176A

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.75	47-507	HB	35 - 65	2,4 - 4,5
26 x 1.75	47-559	HB	35 - 65	2,4 - 4,5



S-180

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	56-559	HB	35 - 65	2,4 - 4,5



S-190

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5
26 x 2.10	56-559	HB	35 - 65	2,4 - 4,5



SA-602

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.75	47-507	HB	35 - 65	2,4 - 4,5
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5

JUST DOWN HILL

"The secret to mountain biking is pretty simple.
The slower you go the more likely it is you'll crash."
Julie Furtado

Deli Tire
ROAD SYMBIOSIS



DOWNHILL

Specific for that

All products that expose the Downhill Attitude logo use special technology and are suitable for downhill riding. Dual Ply Construction for Downhill Application provide additional protection and stiffness.

TRY THE DELIUM TUBE

26" Developed with 1,2mm
27,5" thickness to please
the boldest riders.



S-609

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.00	54-507	HB	35 - 65	2,4 - 4,5
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



SA-610

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 2.00	54-507	HB	35 - 65	2,4 - 4,5
26 x 2.00	54-559	HB	35 - 65	2,4 - 4,5



S-613

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.95	50-507	HB	35 - 65	2,4 - 4,5
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



S-614

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.95	50-507	HB	35 - 65	2,4 - 4,5
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



S-616

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5



S-619

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5

NEW PLUS TIRE

It is a mixed new category composed by the best aspects of MTB and FAT bike tires. A bigger volume allows lower air pressure so it becomes more comfort, grip and safety.

Deli Tire
ROAD SYMBIOSIS



SA-255

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.80	70-559	SS	17 - 38	1,2 - 2,6



SA-281

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27.5 x 2.80	70-584	SS	17 - 38	1,2 - 2,6
27.5x3.00	75-584	SS	15 - 35	1.0 - 2.4



S-620

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



S-621

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5



SA-622

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.90	50-599	HB	35 - 65	2,4 - 4,5
26 x 2.10	54-559	HB	35 - 65	2,4 - 4,5



SA-201

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	56-559	HB	35 - 65	2,4 - 4,5



SA-207

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.75	47-507	HB	35 - 65	2,4 - 4,5
26 x 1.90	50-559	HB	35 - 65	2,4 - 4,5



SA-224

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	54-559	HB	35 - 65	2,4 - 4,5
24 x 2.00	54-507	HB	35 - 65	2,4 - 4,5



SA-229

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	54-559	HB	35 - 65	2,4 - 4,5



SA-236

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



SA-257

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



SA-258

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27.5 x 2.10	54-584	SS	35 - 65	2,4 - 4,5
27.5 x 2.25	57-584	SS	35 - 65	2,4 - 4,5
29 x 2.10	54-622	SS	35 - 65	2,4 - 4,5



DOWNHILL
ATTITUDE

SA-239

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	51-559	HB	35 - 65	2,4 - 4,5
26 x 2.35	53-559	HB	35 - 65	2,4 - 4,5
26 x 2.50	55-559	HB	35 - 65	2,4 - 4,5
27.5 x 2.50	55-584	SS	35 - 65	2,4 - 4,5



SA-243

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1.75	47-507	HB	35 - 65	2,4 - 4,5



SA-263

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27.5 x 2.10	54-584	HB	35 - 65	2,4 - 4,5



SA-264

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
29 x 2.25	57-622	SS	35 - 65	2,4 - 4,5



SA-254

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 1.95	50-559	HB	35 - 65	2,4 - 4,5



SA-255

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	54-559	HB	35 - 65	2,4 - 4,5
27.5 X 1.90	50-584	SS	35 - 65	2,4 - 4,5
29 X 1.90	50-622	SS	35 - 65	2,4 - 4,5



SA-270

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
26 x 2.10	54-559	HB	35 - 65	2,4 - 4,5
27.5 x 2.10	54-584	SS	35 - 65	2,4 - 4,5
29 x 2.10	54-622	SS	35 - 65	2,4 - 4,5



SA-281

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
27.5x2.25	57-584	SS	35 - 65	2.4 - 4.5
27.5x2.35	60-584	SS	35 - 65	2.4 - 4.5
29x2.25	57-622	SS	35 - 65	2.4 - 4.5

TAN WALL TIRE

The return of vintage.
For a few years, black rubber ruled the road, but light-
coloured sidewalls are now ubiquitous in every cycling
discipline, from gravel to downhill.



S-601



SA-255

ROAD SYM- BIOSIS

Deli Tire
ROAD SYMBIOSIS

KID HAVE FUN

Kids are always on the run. What really matter is they always ride safe. Our tires are strong enough to ensure a terrific playful experience even on the toughest trails.

Deli Tire
ROAD SYMBIOSIS

SPEED UP THE FUN

From the first rides to the most exciting jumps on cross paths, Deli Tire will remain on your side. With a huge range of small tire for your kids, we want to provide them the best first experience on a bicycle. Deli Tire's Junior collection has also freeride tire for every needs.



DEAL FOR ADVENTURES

SA-186



S-114

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 2.125	57-406	HB	35 - 50	2,4 - 3,5



S-117

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5



S-118

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 2.125	57-406	HB	35 - 50	2,4 - 3,5



S-173

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2 x 2 1/4	62-203	HB	35 - 50	2,4 - 3,5



S-176

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5
22 x 1.75	47-456	HB	35 - 50	2,4 - 3,5



S-179

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
14x1 3/8x1 5/8	44-288	HB	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5



S-186

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2x1.75x2 1/4	47-203	SS	35 - 50	2,4 - 3,5
14x1 3/8x1 5/8	44-288	SS	35 - 50	2,4 - 3,5
14 x 1.75	47-254	SS	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
20 x 1.90	50-406	HB	35 - 50	2,4 - 3,5



S-196

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2x1.75x2 1/4	47-203	SS	35 - 50	2,4 - 3,5
14 x 1.75	47-254	SS	35 - 50	2,4 - 3,5
16 x 1.75 x 2	47-305	SS	35 - 50	2,4 - 3,5



SA-199

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5
20 x 1.95	54-406	HB	35 - 50	2,4 - 3,5



S-602

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2x1.75x2 1/4	47-203	SS	35 - 50	2,4 - 3,5
14x1 3/8x1 5/8	44-288	SS	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5



S-615

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2 x 2 1/4	62-203	HB	35 - 50	2,4 - 3,5
16 x 2.125	57-305	HB	35 - 50	2,4 - 3,5
20 x 1.90	50-406	HB	35 - 50	2,4 - 3,5



SA-203

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2x1.75x2 1/4	47-203	SS	35 - 50	2,4 - 3,5
14x1 3/8x1 5/8	44-288	SS	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5



SA-206

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 1/2x1.75x2 1/4	47-203	SS	35 - 50	2,4 - 3,5
12 1/2 x 2 1/4	62-203	HB	35 - 50	2,4 - 3,5
14x1 3/8x1 5/8	44-288	SS	35 - 50	2,4 - 3,5
14 x 1.75	47-254	SS	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
18 x 1.75	47-355	HB	35 - 50	2,4 - 3,5



S-210B

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
16 x 2.125	57-305	HB	35 - 50	2,4 - 3,5



SA-207

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5
18 x 1.75	47-355	HB	35 - 50	2,4 - 3,5
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5
22 x 1.75	47-456	HB	35 - 50	2,4 - 3,5



SA-233

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
14 x 1.75	47-254	SS	35 - 50	2,4 - 3,5
16 x 1.75	47-305	HB	35 - 50	2,4 - 3,5



SA-235

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
16 x 1.50	40-305	HB	35 - 50	2,4 - 3,5



SA-240

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.75	47-406	HB	35 - 50	2,4 - 3,5
20 x 2.125	57-406	HB	35 - 50	2,4 - 3,5



SA-251

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20 x 1.75	47-406	HB	35 - 65	2,4 - 4,5



SA-282

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
20x1.95	50-406	HB	35 - 65	2.4 - 4.5



DRIVE
YOUR
SOUL

GET OUT HELP

Deli Tire think about every single needs.
From the wheelchair to the stroller, we cover as much tire
uses as we can, helping people to travel.

Deli Tire
ROAD SYMBIOSIS

HELPING EVERYBODY

Also wheelchairs need comfort and performance in
terms of all day life. We are focused on helping all people
that need specific products, offering them only the best.
Durability is an other aspect of the life of your stroller,
the safety and the comfort for your baby is our priority.



S-187

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
24 x 1 3/8	37 - 540	SS	50 - 70	3,5 - 4,8



SA-227

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12½x1,75x2¼	51-203	SS	35 - 50	2,4 - 3,5



SA-253

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
12 ½ x 2 ¼	62-203	HB	35 - 50	2,4 - 3,5



SA-259

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
10 x 2.0	54-152	HB	35 - 50	2,4 - 3,5
12 ½ x 2 ¼	62-203	HB	35 - 50	2,4 - 3,5



SA-266

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
50 x 160	-	HB	28 - 40	2,0 - 2,8
280 x 65	-	HB	28 - 40	2,0 - 2,8
225 x 48	-	HB	28 - 40	2,0 - 2,8



SA-206

SIZE (inch)	ETRTO (mm)	RIM TYPE	PSI	BAR
10 x 2	54-152	HB	35 - 50	2,4 - 3,5

Deli Tire

RACING TIRES

Size (inch)	ETRT0 (mm)	Rim type	Pattern	PSI	BAR	REMARK
27 x 1	25-630	SS	S-139	73 - 100	5,0 - 6,9	
27 x 1 1/8	28-630	SS	S-140	73 - 100	5,0 - 6,9	
27 x 1 1/4	32-630	SS	S-139	73 - 100	5,0 - 6,9	
	32-630	SS	S-140	73 - 100	5,0 - 6,9	
	32-630	SS	S-145	73 - 100	5,0 - 6,9	
700 X 20C	20-622	SS	S-147	80 - 100	5,5 - 6,9	
	20-622	SS	S-194	80 - 100	5,5 - 6,9	
	20-622	SS	S-601	80 - 120	5,5 - 8,3	
700 X 23C	23-622	SS	S-147	80 - 100	5,5 - 6,9	
	23-622	SS	S-195	80 - 100	5,5 - 6,9	
	23-622	SS	SA-205	80 - 120	5,5 - 8,3	
	23-622	SS	SA-215	80 - 120	5,5 - 8,3	
	23-622	SS	SA-249	80 - 120	5,5 - 8,3	
700 X 24C	23-622	SS	S-601	80 - 120	5,5 - 8,3	
	24-622	SS	SA-267	80 - 102	5,5 - 7,0	
	25-622	SS	S-147	80 - 102	5,5 - 7,0	
700 X 25C	25-622	SS	S-601	80 - 102	5,5 - 7,0	
	25-622	SS	SA-205	80 - 102	5,5 - 7,0	
	25-622	SS	SA-249	80-102	5.5 - 7.0	
	25-622	SS	SA-249	80-102	5.5 - 7.0	
700 X 28C	28-622	SS	S-140	80 - 102	5,5 - 7,0	
	28-622	SS	S-601	80 - 102	5,5 - 7,0	
	28-622	SS	S-603	80 - 102	5,5 - 7,0	

CITY - TREKKING - URBAN TIRES

Size (inch)	ETRT0 (mm)	Rim type	Pattern	PSI	BAR	REMARK
18 x 1.75	47-355	HB	S-116	35 - 50	2,4 - 3,5	
20 x 1 3/8	37-451	SS	S-139	35 - 50	2,4 - 3,5	
20 x 1.50	40-406	HB	SA-235	35 - 50	2,4 - 3,5	
20 x 1.75 x 2	42-406	SS	S-141	35 - 50	2,4 - 3,5	
20 x 1.75	47-406	HB	SA-206	35 - 50	2,4 - 3,5	
20 x 2.125	57-406	HB	SA-238	35 - 50	2,4 - 3,5	
20 x 2.30		HB	SA-204	35 - 50	2,4 - 3,5	
22 x 1 3/8	37-501	SS	S-110	35 - 50	2,4 - 3,5	
22 x 1.75	47-456	HB	SA-206	35 - 50	2,4 - 3,5	
22 x 1.95	50-456	HB	SA-282	35-65	2,4 - 4,5	
24 x 1 3/8	37-540	SS	S-110	44 - 70	3,0 - 4,8	
	37-540	SS	S-139	44 - 70	3,0 - 4,8	
	37-540	SS	S-604	44 - 70	3,0 - 4,8	
24 x 1.75 x2	42-507	SS	S-141	35 - 65	2,4 - 4,5	
24 x 1.75	47-507	HB	S-109	35 - 65	2,4 - 4,5	
24 x 1.75	47-507	HB	SA-206	35 - 65	2,4 - 4,5	
24 x 1.95	50-507	HB	SA-282	35-65	2,4 - 4,5	
24 x 2.00	54-507	HB	SA-251	35-65	2,4 - 4,5	
24 x 2.125	57-507	HB	SA-238	35 - 65	2,4 - 4,5	
	57-507	HB	SA-252	35 - 65	2,4 - 4,5	
26 x 1	25-559	HB	S-195	35 - 65	2,4 - 4,5	
26 x 1.15	32-559	HB	SA-235	35 - 65	2,4 - 4,5	
26 x 1.38/1.40	37-559	HB	SA-225	35 - 65	2,4 - 4,5	
26 x 1 1/4	32-597	SS	S-139	58 - 100	4,0 - 6,9	
26 x 1 3/8 x 1 1/8	28-590	SS	S-140	80 - 100	5,5 - 6,9	
26 x 1 3/8	37-590	SS	S-110	44 - 70	3,0 - 4,8	
	37-590	SS	S-131	44 - 70	3,0 - 4,8	

CITY - TREKKING - URBAN TIRES

Size (inch)	ETRT0 (mm)	Rim type	Pattern	PSI	BAR	REMARK
	37-590	SS	S-151	44 - 70	3,0 - 4,8	
	37-590	SS	S-161	44 - 70	3,0 - 4,8	
	37-590	SS	S-604	44 - 70	3,0 - 4,8	
	37-590	SS	SA-214	44 - 70	3,0 - 4,8	
26 x 1 1/2	40-584	SS	S-131	44 - 65	3,0 - 4,5	
26 x 1 1/2 x 1 5/8	44-584	SS	S-193	50 - 65	3,5 - 4,5	
650 x 35B	35-584	SS	S-172	44 - 65	3,0 - 4,5	
26 x 1.50	40-559	HB	S-611	35 - 65	2,4 - 4,5	
	40-559	HB	SA-235	35 - 65	2,4 - 4,5	
26 x 1.75	47-559	HB	S-154	35 - 65	2,4 - 4,5	
	47-559	HB	S-165	35 - 65	2,4 - 4,5	
	47-559	HB	SA-206	35 - 65	2,4 - 4,5	
	47-559	HB	SA-225	35 - 65	2,4 - 4,5	
	47-559	HB	SA-228	35 - 65	2,4 - 4,5	
	47-559	HB	SA-234	35 - 65	2,4 - 4,5	
	47-559	HB	SA-235	35 - 65	2,4 - 4,5	
	47-559	HB	SA-240	35 - 65	2,4 - 4,5	
	47-559	HB	SA-251	35 - 65	2,4 - 4,5	
	47-559	HB	SA-283	35 - 65	2,4 - 4,5	
26 x 1.75 x 2	42-559	SS	S-141	50 - 65	3,5 - 4,5	
26 x 1.90	50-559	HB	S-198	35 - 65	2,4 - 4,5	
26 x 1.95	50-559	HB	SA-282	35 - 65	2,4 - 4,5	
26 x 2.00	54-559	HB	S-146	35 - 65	2,4 - 4,5	
	54-559	HB	SA-216	35 - 65	2,4 - 4,5	
	54-559	HB	SA-240	35 - 65	2,4 - 4,5	
26 x 2.10	54-559	HB	SA-206	35-65	2,4 - 4,5	
26 x 2.125	57-559	HB	S-146	35 - 65	2,4 - 4,5	
	57-559	HB	SA-238	35 - 65	2,4 - 4,5	
	57-559	HB	SA-251	35 - 65	2,4 - 4,5	
	57-559	HB	SA-252	35 - 65	2,4 - 4,5	
26 x 2.35	60-559	HB	SA-275	35 - 65	2,4 - 4,5	
26 x 2 x 1 1/2	54-584	SS	S-154	50 - 65	3,5 - 4,5	
27 x 1 1/4	32-630	SS	S-131	80 - 100	5,5 - 6,9	
27 x 1 3/8	37-630	SS	S-116	44 - 100	3,0 - 6,9	
	37-630	SS	SA -237	44 - 100	3,0 - 6,9	
27.5 x 1.75	47-584	SS	S-601	36 - 65	2,4 - 4,5	
	47-584	SS	SA-225	47 - 65	2,4 - 4,5	
28 x 1 1/2	40-635	SS	S-110	35 - 65	2,4 - 4,5	
	40-635	SS	S-131	35 - 65	2,4 - 4,5	
	40-635	SS	S-604	35 - 65	2,4 - 4,5	

CITY - TREKKING - URBAN TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
28 x 1 1/2	40-635	SS	SA-214	35 - 65	2,4 - 4,5	
	40-635	SS	SA-218	35 - 65	2,4 - 4,5	
	40-635	SS	SA-220	35 - 65	2,4 - 4,5	
	40-635	SS	SA-234	35 - 65	2,4 - 4,5	
28 x 1.75	47-622	SS	S-141	35 - 65	2,4 - 4,5	
28 x 2.00	50-622	SS	SA-272	35 - 65	2,4 - 4,5	
28 x 1.75 x 2	47-622	SS	S-141	35 - 65	2,4 - 4,5	
29 x 1.75	47-622	SS	S-601	35 - 65	2,4 - 4,5	
29 x 2.35	60-622	SS	SA-275	35 - 65	2,4 - 4,5	
	47-622	SS	SA-225	35 - 65	2,4 - 4,5	
700 x 28C	28-622	SS	S-155	80 - 102	5,5 - 7,0	
	28-622	SS	S-192	80 - 102	5,5 - 7,0	
	28-622	SS	SA-269	80 - 102	5,5 - 7,0	
700 x 32C	32-622	SS	S-131	50 - 80	3,5 - 5,5	
	32-622	SS	S-140	50 - 80	3,5 - 5,5	
	32-622	SS	S-192	50 - 80	3,5 - 5,5	
700 x 35C	37-622	SS	S-140	50 - 80	3,5 - 5,5	
	37-622	SS	S-141	50 - 80	3,5 - 5,5	
	37-622	SS	S-192	50 - 80	3,5 - 5,5	
	37-622	SS	S-198	50 - 80	3,5 - 5,5	
700 x 35C	37-622	SS	S-604	50 - 80	3,5 - 5,5	
	37-622	SS	SA-201	50 - 80	3,5 - 5,5	
	37-622	SS	SA-225	50 - 80	3,5 - 5,5	
	37-622	SS	SA-230	50 - 80	3,5 - 5,5	
700 x 35C	37-622	SS	SA-234	50 - 80	3,5 - 5,5	
	37-622	SS	SA-262	50 - 80	3,5 - 5,5	
	37-622	SS	SA-207	50 - 80	3,5 - 5,5	
	37-622	SS	SA-207	50 - 80	3,5 - 5,5	
700 x 38C	40-622	SS	S-161	50 - 80	3,5 - 5,5	
700 x 38C	40-622	SS	S-602	50 - 80	3,5 - 5,5	
	40-622	SS	SA-234	50 - 80	3,5 - 5,5	
	40-622	SS	SA-235	50 - 80	3,5 - 5,5	
	40-622	SS	SA-265	50 - 80	3,5 - 5,5	
700 x 38C	40-622	SS	SA-209	50 - 80	3,5 - 5,5	
	40-622	SS	SA-209	50 - 80	3,5 - 5,5	
	40-622	SS	SA-234	50 - 80	3,5 - 5,5	
	40-622	SS	SA-256	50 - 80	3,5 - 5,5	

FAT-BIKE TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
26 x 4.0	100-559	SS	SA-280	30	2,0	

PLUS TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
26 x 2.80	70-559	SS	SA-255	17 - 38	1,2 - 2,6	
27.5 x 2.80	70-584	SS	SA-281	17 - 38	1,2 - 2,6	

OFF-ROAD TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
24 x 1.75	47-507	HB	S-143	35 - 65	2,4 - 4,5	
	47-507	HB	S-157	35 - 65	2,4 - 4,5	
	47-507	HB	S-176A	35 - 65	2,4 - 4,5	
	47-507	HB	S-602	35 - 65	2,4 - 4,5	
24 x 1.75	47-507	HB	SA-207	35 - 65	2,4 - 4,5	
	47-507	HB	SA-243	35 - 65	2,4 - 4,5	
	47-507	HB	SA-243	35 - 65	2,4 - 4,5	
	47-507	HB	SA-243	35 - 65	2,4 - 4,5	
24 x 1.90	50-507	HB	S-143	35 - 65	2,4 - 4,5	
	50-507	HB	S-153	35 - 65	2,4 - 4,5	
	50-507	HB	S-179	35 - 65	2,4 - 4,5	
24 x 1.95	50-507	HB	S-613	35 - 65	2,4 - 4,5	
	50-507	HB	S-614	35 - 65	2,4 - 4,5	
24 x 2.00	54-507	HB	S-160	35 - 65	2,4 - 4,5	
	54-507	HB	S-166	35 - 65	2,4 - 4,5	
	54-507	HB	S-168	35 - 65	2,4 - 4,5	
24 x 2.00	54-507	HB	S-176	35 - 65	2,4 - 4,5	
	54-507	HB	S-609	35 - 65	2,4 - 4,5	
	54-507	HB	S-610	35 - 65	2,4 - 4,5	
	54-507	HB	SA-224	35 - 65	2,4 - 4,5	
24 x 2.10	54-507	HB	S-178	35 - 65	2,4 - 4,5	
26 x 1.50	40-559	HB	S-153	35 - 65	2,4 - 4,5	
26 x 1.75	47-559	HB	S-143	35 - 65	2,4 - 4,5	
	47-559	HB	S-157	35 - 65	2,4 - 4,5	
	47-559	HB	S-176A	35 - 65	2,4 - 4,5	
26 x 1.90	50-559	HB	S-179	35 - 65	2,4 - 4,5	
	50-559	HB	S-602	35 - 65	2,4 - 4,5	
	50-559	HB	S-616	35 - 65	2,4 - 4,5	
	50-559	HB	S-619	35 - 65	2,4 - 4,5	
26 x 1.90	50-559	HB	S-621	35 - 65	2,4 - 4,5	
	50-559	HB	S-622	35 - 65	2,4 - 4,5	
	50-559	HB	SA-207	35 - 65	2,4 - 4,5	
	50-559	HB	S-153	35 - 65	2,4 - 4,5	
26 x 1.90	50-559	HB	S-190	35 - 65	2,4 - 4,5	
	50-559	HB	S-613	35 - 65	2,4 - 4,5	
	50-559	HB	S-614	35 - 65	2,4 - 4,5	
	50-559	HB	S-620	35 - 65	2,4 - 4,5	
26 x 1.90	50-559	HB	SA-236	35 - 65	2,4 - 4,5	
	50-559	HB	SA-254	35 - 65	2,4 - 4,5	
	50-559	HB	SA-257	35 - 65	2,4 - 4,5	
	50-559	HB	S-159	35 - 65	2,4 - 4,5	
26 x 2.00	54-559	HB	S-160	35 - 65	2,4 - 4,5	
	54-559	HB	S-166	35 - 65	2,4 - 4,5	
	54-559	HB	S-168	35 - 65	2,4 - 4,5	
	54-559	HB	S-176	35 - 65	2,4 - 4,5	
26 x 2.00	54-559	HB	S-609	35 - 65	2,4 - 4,5	

OFF-ROAD TIRES

Size (inch)	ETRT0 (mm)	Rim type	Pattern	PSI	BAR	REMARK
26 x 2.00	54-559	HB	S-610	35 - 65	2,4 - 4,5	
26 x 2.10	56-559	HB	S-180	35 - 65	2,4 - 4,5	
	56-559	HB	S-190	35 - 65	2,4 - 4,5	
	54-559	HB	S-622	35 - 65	2,4 - 4,5	
	56-559	HB	SA-201	35 - 65	2,4 - 4,5	
	54-559	HB	SA-224	35 - 65	2,4 - 4,5	
	54-559	HB	SA-229	35 - 65	2,4 - 4,5	
	51-559	HB	SA-239	35 - 65	2,4 - 4,5	
	54-559	HB	SA-255	35 - 65	2,4 - 4,5	
	54-559	HB	SA-270	35 - 65	2,4 - 4,5	
26 x 2.35	53-559	HB	SA-239	35 - 65	2,4 - 4,5	
26 x 2.50	55-559	HB	SA-239	35 - 65	2,4 - 4,5	
27.5 x 1.90	50-584	SS	SA-255	35 - 65	2,4 - 4,5	
27.5 x 2.10	54-584	SS	SA-258	35 - 65	2,4 - 4,5	
	54-584	SS	SA-263	35 - 65	2,4 - 4,5	
	54-584	SS	SA-270	35 - 65	2,4 - 4,5	
27.5 x 2.25	57-584	SS	SA-258	35 - 65	2,4 - 4,5	
	57-584	SS	SA-281	35 - 65	2,4 - 4,5	
27.5 x 2.35	60-584	SS	SA-281	35 - 65	2,4 - 4,5	
27.5 x 2.50	55-584	SS	SA-239	35 - 65	2,4 - 4,5	
	55-584	SS	SA-239	35-65	2,4 - 4,5	
27.5 x 3.00	75-584	SS	SA-281	15-35	1,0 - 2,4	
29 x 1.90	50-622	SS	SA-255	35 - 65	2,4 - 4,5	
29 x 2.10	54-622	SS	SA-258	35 - 65	2,4 - 4,5	
	54-622	SS	SA-270	35 - 65	2,4 - 4,5	
29 x 2.25	57-622	SS	SA-264	35 - 65	2,4 - 4,5	
	57-622	SS	SA-281	35 - 65	2,4 - 4,5	

FREESTYLE - CROSS - KIDS TIRES

Size (inch)	ETRT0 (mm)	Rim type	Pattern	PSI	BAR	REMARK
12 1/2x1.75x2 1/4	47-203	SS	S-141	35 - 50	2,4 - 3,5	
	47-203	SS	S-143	35 - 50	2,4 - 3,5	
	47-203	SS	S-186	35 - 50	2,4 - 3,5	
	47-203	SS	S-196	35 - 50	2,4 - 3,5	
	47-203	SS	S-602	35 - 50	2,4 - 3,5	
	47-203	SS	SA-203	35 - 50	2,4 - 3,5	
	47-203	SS	SA-206	35 - 50	2,4 - 3,5	
12 1/2 x 2 1/4	62-203	HB	S-101	35 - 50	2,4 - 3,5	
	62-203	HB	S-168	35 - 50	2,4 - 3,5	
	62-203	HB	S-173	35 - 50	2,4 - 3,5	
	62-203	HB	S-615	35 - 50	2,4 - 3,5	
	62-203	HB	SA-206	35 - 50	2,4 - 3,5	
14 x 1 3/8 x 1 5/8	44-288	SS	S-141	35 - 50	2,4 - 3,5	
	44-288	SS	S-143	35 - 50	2,4 - 3,5	
	44-288	SS	S-179	35 - 50	2,4 - 3,5	
	44-288	SS	S-186	35 - 50	2,4 - 3,5	
	44-288	SS	S-602	35 - 50	2,4 - 3,5	
	44-288	SS	SA-203	35 - 50	2,4 - 3,5	
	44-288	SS	SA-206	35 - 50	2,4 - 3,5	
14 x 1.75	47-298	SS	S-101	35 - 50	2,4 - 3,5	
	47-254	HB	S-153	35 - 50	2,4 - 3,5	
	47-254	SS	S-186	35 - 50	2,4 - 3,5	
	47-254	SS	S-196	35 - 50	2,4 - 3,5	
	47-254	SS	SA-206	35 - 50	2,4 - 3,5	
	47-254	SS	SA-233	35 - 50	2,4 - 3,5	
14 x 2.125	57-254	HB	S-101	35 - 50	2,4 - 3,5	
16 x 1 3/8	37-349	SS	S-110	35 - 50	2,4 - 3,5	
16 x 1 3/4	47-349	SS	S-101	35 - 50	2,4 - 3,5	
16 x 1.50	40-305	HB	SA-235	35 - 50	2,4 - 3,5	
16 x 1.75 x 2	42-305	SS	S-141	35 - 50	2,4 - 3,5	
	47-305	SS	S-196	35 - 50	2,4 - 3,5	
16 x 1.75	47-305	HB	S-101	35 - 50	2,4 - 3,5	
	47-305	HB	S-110	35 - 50	2,4 - 3,5	
	47-305	HB	S-117	35 - 50	2,4 - 3,5	
	47-305	HB	S-153	35 - 50	2,4 - 3,5	
	47-305	HB	S-168	35 - 50	2,4 - 3,5	
	47-305	HB	S-179	35 - 50	2,4 - 3,5	
	47-305	HB	S-186	35 - 50	2,4 - 3,5	
	47-305	HB	S-602	35 - 50	2,4 - 3,5	
	47-305	HB	SA-203	35 - 50	2,4 - 3,5	
	47-305	HB	SA-206	35 - 50	2,4 - 3,5	
	47-305	HB	SA-207	35 - 50	2,4 - 3,5	
	47-305	HB	SA-233	35 - 50	2,4 - 3,5	
16 x 1.90		HB	S-153	35 - 50	2,4 - 3,5	

FREESTYLE - CROSS - KIDS TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
16 x 2.125	57-305	HB	S-101	35 - 50	2,4 - 3,5	
	57-305	HB	S-146	35 - 50	2,4 - 3,5	
	57-305	HB	S-168	35 - 50	2,4 - 3,5	
	57-305	HB	SA-210B	35 - 50	2,4 - 3,5	
	57-305	HB	S-615	35 - 50	2,4 - 3,5	
18 x 1.75 x 2	47-355	SS	S-141	35 - 50	2,4 - 3,5	
18 x 1.75	47-355	HB	SA-206	35 - 50	2,4 - 3,5	
	47-355	HB	SA-207	35 - 50	2,4 - 3,5	
20 x 1.75	47-406	HB	S-101	35 - 50	2,4 - 3,5	
	47-406	HB	S-109	35 - 50	2,4 - 3,5	
	47-406	HB	S-117	35 - 50	2,4 - 3,5	
	47-406	HB	S-143	35 - 50	2,4 - 3,5	
	47-406	HB	S-176	35 - 50	2,4 - 3,5	
	47-406	HB	S-179	35 - 50	2,4 - 3,5	
	47-406	HB	S-199	35 - 50	2,4 - 3,5	
	47-406	HB	S-602	35 - 50	2,4 - 3,5	
	47-406	HB	SA-207	35 - 50	2,4 - 3,5	
	47-406	HB	SA-240	35 - 50	2,4 - 3,5	
	47-406	HB	SA-251	35-65	2,4 - 4,5	
	50-406	HB	S-153	35 - 50	2,4 - 3,5	
	50-406	HB	S-186	35 - 50	2,4 - 3,5	
	50-406	HB	S-615	35 - 50	2,4 - 3,5	
	54-406	HB	S-199	35 - 50	2,4 - 3,5	
20 x 1.95	50-406	HB	SA-282	35-65	2,4 - 4,5	
	54-406	HB	S-168	35 - 50	2,4 - 3,5	
	54-406	HB	S-174	35 - 50	2,4 - 3,5	
20 x 2.00	54-406	HB	S-178	35 - 50	2,4 - 3,5	
	20 x 2.125	57-406	HB	S-101	35 - 50	2,4 - 3,5
	57-406	HB	S-114	35 - 50	2,4 - 3,5	
20 x 2.125	57-406	HB	S-118	35 - 50	2,4 - 3,5	
	57-406	HB	S-146	35 - 50	2,4 - 3,5	
	57-406	HB	SA-240	35 - 50	2,4 - 3,5	
	22 x 1.75	47-456	HB	S-101	35 - 50	2,4 - 3,5
	47-456	HB	S-109	35 - 50	2,4 - 3,5	
22 x 1.75	47-456	HB	S-176	35 - 50	2,4 - 3,5	
	47-456	HB	SA-207	35 - 50	2,4 - 3,5	

WHEELCHAIR TIRES
































Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
24 x 1 3/8	37-540	SS	S-187	50 - 70	3,5 - 4,8	


































STROLLER TIRES


























Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
12½ x 1.75 x 2¼	51-203	SS	SA-227	35-50	2,4-3,5	
12½ x 2¼	62-203	SS	SA-253	35-50	2.4-3.5	
10 x 2.0	54-152	HB	SA-259	35-50	2,4-3,5	
	54-152	HB	SA-206	35-50	2,4-3,5	
12½ x 2¼	62-203	HB	SA-259	35-50	2,4-3,5	
50 x 160	---	HB	SA-266	28-40	2,0-2,8	
225 x 48	---	HB	SA-266	28-40	2,0-2,8	
280 x 65	---	HB	SA-266	28-40	2,0-2,8	
























E-BIKE TIRES

Size (inch)	ETRTO (mm)	Rim type	Pattern	PSI	BAR	REMARK
26 x 1.75	47-559	HB	SA-206	35-65	2.4-4.5	
700 x 35C	37-622	SS	SA-234	50-80	3.5-5.5	
700 x 35C	37-622	SS	SA-262	50-80	3.5-5.5	
700 x 38C	40-622	SS	SA-235	50-80	3.5-5.5	
700 x 45C	47-622	SS	SA-234	35-65	2.4-4.5	

S-101  <table><tr><td>12 1/2 x 2 1/4</td><td>16 x 1 3/4</td><td>22 x 1.75</td></tr><tr><td>12 1/2 x 1.75 x 2 1/4</td><td>16 x 1.75</td><td>24 x 1.75</td></tr><tr><td>14 x 1.75</td><td>20 x 1.75</td><td>24 x 2.125</td></tr><tr><td>14 x 2.125</td><td>20 x 2.125</td><td>16 x 2.125</td></tr></table>	12 1/2 x 2 1/4	16 x 1 3/4	22 x 1.75	12 1/2 x 1.75 x 2 1/4	16 x 1.75	24 x 1.75	14 x 1.75	20 x 1.75	24 x 2.125	14 x 2.125	20 x 2.125	16 x 2.125	S-102  <table><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>20 x 2.125</td><td></td><td></td></tr></table>	12 1/2 x 2 1/4			20 x 1.75			20 x 2.125			S-103  <table><tr><td>20 x 1.75</td><td>26 x 2 x 1 3/4</td><td></td></tr><tr><td>24 x 1.75</td><td></td><td></td></tr><tr><td>24 x 2.125</td><td></td><td></td></tr></table>	20 x 1.75	26 x 2 x 1 3/4		24 x 1.75			24 x 2.125			S-106  <table><tr><td>20 x 2.125</td><td></td><td></td></tr></table>	20 x 2.125			S-107  <table><tr><td>20 x 1.75</td><td></td><td></td></tr></table>	20 x 1.75			S-108  <table><tr><td>20 x 1.75</td><td></td><td></td></tr></table>	20 x 1.75											
12 1/2 x 2 1/4	16 x 1 3/4	22 x 1.75																																																			
12 1/2 x 1.75 x 2 1/4	16 x 1.75	24 x 1.75																																																			
14 x 1.75	20 x 1.75	24 x 2.125																																																			
14 x 2.125	20 x 2.125	16 x 2.125																																																			
12 1/2 x 2 1/4																																																					
20 x 1.75																																																					
20 x 2.125																																																					
20 x 1.75	26 x 2 x 1 3/4																																																				
24 x 1.75																																																					
24 x 2.125																																																					
20 x 2.125																																																					
20 x 1.75																																																					
20 x 1.75																																																					
S-109  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>22 x 1.75</td><td></td><td></td></tr><tr><td>24 x 1.75</td><td></td><td></td></tr></table>	20 x 1.75			22 x 1.75			24 x 1.75			S-110  <table><tr><td>16 x 1 3/8</td><td>24 x 1 3/8</td><td></td></tr><tr><td>16 x 1.75</td><td>26 x 1 3/8</td><td></td></tr><tr><td>22 x 1 3/8</td><td>28 x 1 1/2</td><td></td></tr></table>	16 x 1 3/8	24 x 1 3/8		16 x 1.75	26 x 1 3/8		22 x 1 3/8	28 x 1 1/2		S-111  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>22 x 1.75</td><td></td><td></td></tr><tr><td>24 x 1.75</td><td></td><td></td></tr></table>	20 x 1.75			22 x 1.75			24 x 1.75			S-112  <table><tr><td>20 x 1.75</td><td></td><td></td></tr></table>	20 x 1.75			S-113  <table><tr><td>16 x 1.75</td><td></td><td></td></tr></table>	16 x 1.75			S-114  <table><tr><td>20 x 2.125</td><td></td><td></td></tr></table>	20 x 2.125														
20 x 1.75																																																					
22 x 1.75																																																					
24 x 1.75																																																					
16 x 1 3/8	24 x 1 3/8																																																				
16 x 1.75	26 x 1 3/8																																																				
22 x 1 3/8	28 x 1 1/2																																																				
20 x 1.75																																																					
22 x 1.75																																																					
24 x 1.75																																																					
20 x 1.75																																																					
16 x 1.75																																																					
20 x 2.125																																																					
S-115  <table><tr><td>11 x 1 3/4</td><td></td><td></td></tr><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr><tr><td>12 1/2 x 1.75 x 2 1/4</td><td></td><td></td></tr></table>	11 x 1 3/4			12 1/2 x 2 1/4			12 1/2 x 1.75 x 2 1/4			S-116  <table><tr><td>18 x 1.75</td><td></td><td></td></tr><tr><td>27 x 1 3/8</td><td></td><td></td></tr></table>	18 x 1.75			27 x 1 3/8			S-117  <table><tr><td>16 x 1.75</td><td></td><td></td></tr><tr><td>20 x 1.75</td><td></td><td></td></tr></table>	16 x 1.75			20 x 1.75			S-118  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>20 x 2.125</td><td></td><td></td></tr></table>	20 x 1.75			20 x 2.125			S-131  <table><tr><td>700 x 32C</td><td>26 x 1 3/8 SK</td><td>28 x 1 1/2 Becak</td></tr><tr><td>26 x 1 1/2</td><td>27 x 1 1/4</td><td></td></tr><tr><td>26 x 13/8 SM</td><td>28 x 1 1/2 Biasa</td><td></td></tr></table>	700 x 32C	26 x 1 3/8 SK	28 x 1 1/2 Becak	26 x 1 1/2	27 x 1 1/4		26 x 13/8 SM	28 x 1 1/2 Biasa		S-133  <table><tr><td>26 x 13/8 SM</td><td></td><td></td></tr><tr><td>26 x 13/8 SK</td><td></td><td></td></tr></table>	26 x 13/8 SM			26 x 13/8 SK								
11 x 1 3/4																																																					
12 1/2 x 2 1/4																																																					
12 1/2 x 1.75 x 2 1/4																																																					
18 x 1.75																																																					
27 x 1 3/8																																																					
16 x 1.75																																																					
20 x 1.75																																																					
20 x 1.75																																																					
20 x 2.125																																																					
700 x 32C	26 x 1 3/8 SK	28 x 1 1/2 Becak																																																			
26 x 1 1/2	27 x 1 1/4																																																				
26 x 13/8 SM	28 x 1 1/2 Biasa																																																				
26 x 13/8 SM																																																					
26 x 13/8 SK																																																					
S-135  <table><tr><td>26 x 13/8 SK</td><td></td><td></td></tr></table>	26 x 13/8 SK			S-136  <table><tr><td>26 x 13/8 SK</td><td></td><td></td></tr></table>	26 x 13/8 SK			S-137  <table><tr><td>26 x 13/8 SK</td><td></td><td></td></tr></table>	26 x 13/8 SK			S-138  <table><tr><td>26 x 13/8 SS</td><td></td><td></td></tr></table>	26 x 13/8 SS			S-139  <table><tr><td>20 x 1 3/8</td><td>27 x 1</td><td></td></tr><tr><td>24 x 1 3/8</td><td>27 x 1 1/4</td><td></td></tr><tr><td>26 x 1 1/4</td><td></td><td></td></tr></table>	20 x 1 3/8	27 x 1		24 x 1 3/8	27 x 1 1/4		26 x 1 1/4			S-140  <table><tr><td>27 x 1 1/8</td><td>28 x 1 5/8 x 1 1/8 (700x28C)</td><td></td></tr><tr><td>27 x 1 1/4</td><td>28 x 1 5/8 x 1 1/4</td><td></td></tr><tr><td>26 x 1 3/8 x 1 1/8</td><td>28 x 1 3/8 x 1 5/8</td><td></td></tr></table>	27 x 1 1/8	28 x 1 5/8 x 1 1/8 (700x28C)		27 x 1 1/4	28 x 1 5/8 x 1 1/4		26 x 1 3/8 x 1 1/8	28 x 1 3/8 x 1 5/8																			
26 x 13/8 SK																																																					
26 x 13/8 SK																																																					
26 x 13/8 SK																																																					
26 x 13/8 SS																																																					
20 x 1 3/8	27 x 1																																																				
24 x 1 3/8	27 x 1 1/4																																																				
26 x 1 1/4																																																					
27 x 1 1/8	28 x 1 5/8 x 1 1/8 (700x28C)																																																				
27 x 1 1/4	28 x 1 5/8 x 1 1/4																																																				
26 x 1 3/8 x 1 1/8	28 x 1 3/8 x 1 5/8																																																				
S-141  <table><tr><td>12 1/2 x 1.75 x 2 1/4</td><td>20 x 1.75 x 2</td><td>28 x 1.75 x 2</td></tr><tr><td>16 x 13/8 x 15/8</td><td>24 x 1.75 x 2</td><td>28 x 13/8 x 15/8</td></tr><tr><td>16 x 1.75 x 2</td><td>26 x 1.75 x 2</td><td>28 x 1.75</td></tr></table>	12 1/2 x 1.75 x 2 1/4	20 x 1.75 x 2	28 x 1.75 x 2	16 x 13/8 x 15/8	24 x 1.75 x 2	28 x 13/8 x 15/8	16 x 1.75 x 2	26 x 1.75 x 2	28 x 1.75	S-142  <table><tr><td>26 x 1.75</td><td></td><td></td></tr><tr><td>26 x 2.125</td><td></td><td></td></tr></table>	26 x 1.75			26 x 2.125			S-143  <table><tr><td>12 1/2 x 1.75 x 2 1/4</td><td>24 x 1.75</td><td></td></tr><tr><td>16 x 13/8 x 15/8</td><td>24 x 1.90</td><td></td></tr><tr><td>20 x 1.75</td><td>26 x 1.75</td><td></td></tr></table>	12 1/2 x 1.75 x 2 1/4	24 x 1.75		16 x 13/8 x 15/8	24 x 1.90		20 x 1.75	26 x 1.75		S-144  <table><tr><td>26 x 1.75</td><td></td><td></td></tr><tr><td>26 x 2.125</td><td></td><td></td></tr></table>	26 x 1.75			26 x 2.125			S-145  <table><tr><td>24 x 1 3/8</td><td></td><td></td></tr><tr><td>26 x 13/8 SK</td><td></td><td></td></tr><tr><td>27 x 1 1/4</td><td></td><td></td></tr></table>	24 x 1 3/8			26 x 13/8 SK			27 x 1 1/4			S-146  <table><tr><td>16 x 2.125</td><td>26 x 2.125</td><td></td></tr><tr><td>20 x 2.125</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	16 x 2.125	26 x 2.125		20 x 2.125			26 x 2.00		
12 1/2 x 1.75 x 2 1/4	20 x 1.75 x 2	28 x 1.75 x 2																																																			
16 x 13/8 x 15/8	24 x 1.75 x 2	28 x 13/8 x 15/8																																																			
16 x 1.75 x 2	26 x 1.75 x 2	28 x 1.75																																																			
26 x 1.75																																																					
26 x 2.125																																																					
12 1/2 x 1.75 x 2 1/4	24 x 1.75																																																				
16 x 13/8 x 15/8	24 x 1.90																																																				
20 x 1.75	26 x 1.75																																																				
26 x 1.75																																																					
26 x 2.125																																																					
24 x 1 3/8																																																					
26 x 13/8 SK																																																					
27 x 1 1/4																																																					
16 x 2.125	26 x 2.125																																																				
20 x 2.125																																																					
26 x 2.00																																																					
S-147  <table><tr><td>700 x 20C</td><td></td><td></td></tr><tr><td>700 x 23C</td><td></td><td></td></tr><tr><td>700 x 25C</td><td></td><td></td></tr></table>	700 x 20C			700 x 23C			700 x 25C			S-148  <table><tr><td>24 x 1 3/8</td><td></td><td></td></tr><tr><td>26 x 13/8 SS</td><td></td><td></td></tr></table>	24 x 1 3/8			26 x 13/8 SS			S-149  <table><tr><td>26 x 1.90</td><td></td><td></td></tr></table>	26 x 1.90			S-150  <table><tr><td>26 x 1.90</td><td></td><td></td></tr></table>	26 x 1.90			S-151  <table><tr><td>26 x 1 3/8</td><td></td><td></td></tr><tr><td>650 x 35B (26x1 1/2)</td><td></td><td></td></tr></table>	26 x 1 3/8			650 x 35B (26x1 1/2)			S-152  <table><tr><td>26 x 1.90</td><td></td><td></td></tr></table>	26 x 1.90																				
700 x 20C																																																					
700 x 23C																																																					
700 x 25C																																																					
24 x 1 3/8																																																					
26 x 13/8 SS																																																					
26 x 1.90																																																					
26 x 1.90																																																					
26 x 1 3/8																																																					
650 x 35B (26x1 1/2)																																																					
26 x 1.90																																																					

S-153  <table><tr><td>14 x 1.75</td><td>20 x 1.90</td><td>26 x 1.95</td></tr><tr><td>16 x 1.75</td><td>24 x 1.90</td><td></td></tr><tr><td>16 x 1.90</td><td>26 x 1.50</td><td></td></tr></table>	14 x 1.75	20 x 1.90	26 x 1.95	16 x 1.75	24 x 1.90		16 x 1.90	26 x 1.50		S-154  <table><tr><td>26 x 1.75</td><td></td><td></td></tr><tr><td>26 x 2 x 1 1/2</td><td></td><td></td></tr></table>	26 x 1.75			26 x 2 x 1 1/2			S-155  <table><tr><td>28 x 15/8 x 1 1/8</td><td></td><td></td></tr><tr><td>700 x 35C</td><td></td><td></td></tr></table>	28 x 15/8 x 1 1/8			700 x 35C			S-156  <table><tr><td>26 x 2.125</td><td></td><td></td></tr></table>	26 x 2.125			S-157  <table><tr><td>24 x 1.75</td><td></td><td></td></tr><tr><td>26 x 1.75</td><td></td><td></td></tr></table>	24 x 1.75			26 x 1.75			S-158  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00		
14 x 1.75	20 x 1.90	26 x 1.95																																							
16 x 1.75	24 x 1.90																																								
16 x 1.90	26 x 1.50																																								
26 x 1.75																																									
26 x 2 x 1 1/2																																									
28 x 15/8 x 1 1/8																																									
700 x 35C																																									
26 x 2.125																																									
24 x 1.75																																									
26 x 1.75																																									
24 x 2.00																																									
26 x 2.00																																									
S-159  <table><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	26 x 2.00			S-160  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00			S-161  <table><tr><td>26 x 1 3/8</td><td></td><td></td></tr><tr><td>700 x 38C</td><td></td><td></td></tr></table>	26 x 1 3/8			700 x 38C			S-162  <table><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	26 x 2.00			S-163  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	20 x 1.75			26 x 2.00			S-164  <table><tr><td>16 x 1.75</td><td></td><td></td></tr><tr><td>20 x 2.125</td><td></td><td></td></tr><tr><td>20 x 1.90</td><td></td><td></td></tr></table>	16 x 1.75			20 x 2.125			20 x 1.90					
26 x 2.00																																									
24 x 2.00																																									
26 x 2.00																																									
26 x 1 3/8																																									
700 x 38C																																									
26 x 2.00																																									
20 x 1.75																																									
26 x 2.00																																									
16 x 1.75																																									
20 x 2.125																																									
20 x 1.90																																									
S-165  <table><tr><td>26 x 1.75</td><td></td><td></td></tr></table>	26 x 1.75			S-166  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00			S-167  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	20 x 1.75			26 x 2.00			S-168  <table><tr><td>12 1/2 x 2 1/4</td><td>20 x 2.00</td><td></td></tr><tr><td>16 x 1.75</td><td>24 x 2.00</td><td></td></tr><tr><td>16 x 2.125</td><td>26 x 2.00</td><td></td></tr></table>	12 1/2 x 2 1/4	20 x 2.00		16 x 1.75	24 x 2.00		16 x 2.125	26 x 2.00		S-169  <table><tr><td>26 x 1.50</td><td></td><td></td></tr></table>	26 x 1.50			S-170  <table><tr><td>26 x 1.50</td><td></td><td></td></tr></table>	26 x 1.50								
26 x 1.75																																									
24 x 2.00																																									
26 x 2.00																																									
20 x 1.75																																									
26 x 2.00																																									
12 1/2 x 2 1/4	20 x 2.00																																								
16 x 1.75	24 x 2.00																																								
16 x 2.125	26 x 2.00																																								
26 x 1.50																																									
26 x 1.50																																									
S-171  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00			S-172  <table><tr><td>26 x 1 1/2</td><td></td><td></td></tr></table>	26 x 1 1/2			S-173  <table><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr></table>	12 1/2 x 2 1/4			S-174  <table><tr><td>20 x 2.00</td><td></td><td></td></tr></table>	20 x 2.00			S-175  <table><tr><td>20 x 2.00</td><td></td><td></td></tr><tr><td>24 x 2.00</td><td></td><td></td></tr></table>	20 x 2.00			24 x 2.00			S-176  <table><tr><td>20 x 1.75</td><td>26 x 1.75</td><td></td></tr><tr><td>22 x 1.75</td><td>26 x 2.00</td><td></td></tr><tr><td>24 x 2.00</td><td></td><td></td></tr></table>	20 x 1.75	26 x 1.75		22 x 1.75	26 x 2.00		24 x 2.00								
24 x 2.00																																									
26 x 2.00																																									
26 x 1 1/2																																									
12 1/2 x 2 1/4																																									
20 x 2.00																																									
20 x 2.00																																									
24 x 2.00																																									
20 x 1.75	26 x 1.75																																								
22 x 1.75	26 x 2.00																																								
24 x 2.00																																									
S-176A  <table><tr><td>24 x 1.75</td><td></td><td></td></tr><tr><td>26 x 1.75</td><td></td><td></td></tr></table>	24 x 1.75			26 x 1.75			S-178  <table><tr><td>20 x 2.00</td><td></td><td></td></tr><tr><td>24 x 2.10</td><td></td><td></td></tr></table>	20 x 2.00			24 x 2.10			S-179  <table><tr><td>14 x 1 3/8 x 15/8</td><td>24 x 1.90</td><td></td></tr><tr><td>16 x 1.75</td><td>26 x 1.90</td><td></td></tr><tr><td>20 x 1.75</td><td></td><td></td></tr></table>	14 x 1 3/8 x 15/8	24 x 1.90		16 x 1.75	26 x 1.90		20 x 1.75			S-180  <table><tr><td>26 x 2.10</td><td></td><td></td></tr></table>	26 x 2.10			S-181  <table><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	26 x 2.00			S-182  <table><tr><td>20 x 1.95</td><td></td><td></td></tr></table>	20 x 1.95								
24 x 1.75																																									
26 x 1.75																																									
20 x 2.00																																									
24 x 2.10																																									
14 x 1 3/8 x 15/8	24 x 1.90																																								
16 x 1.75	26 x 1.90																																								
20 x 1.75																																									
26 x 2.10																																									
26 x 2.00																																									
20 x 1.95																																									
S-186  <table><tr><td>12 1/2 x 1.75 x 2 1/4</td><td>16 x 1.75</td><td></td></tr><tr><td>14 x 1 3/8 x 15/8</td><td>20 x 1.90</td><td></td></tr><tr><td>14 x 1.75</td><td></td><td></td></tr></table>	12 1/2 x 1.75 x 2 1/4	16 x 1.75		14 x 1 3/8 x 15/8	20 x 1.90		14 x 1.75			S-187  <table><tr><td>24 x 1 3/8</td><td></td><td></td></tr></table>	24 x 1 3/8			S-190  <table><tr><td>26 x 1.95</td><td></td><td></td></tr><tr><td>26 x 2.10</td><td></td><td></td></tr></table>	26 x 1.95			26 x 2.10			S-192  <table><tr><td>700 x 28C</td><td></td><td></td></tr><tr><td>700 x 32C</td><td></td><td></td></tr><tr><td>700 x 35C</td><td></td><td></td></tr></table>	700 x 28C			700 x 32C			700 x 35C			S-193  <table><tr><td>26 x 1 1/2 x 15/8</td><td></td><td></td></tr></table>	26 x 1 1/2 x 15/8			S-194  <table><tr><td>700 x 20C</td><td></td><td></td></tr></table>	700 x 20C					
12 1/2 x 1.75 x 2 1/4	16 x 1.75																																								
14 x 1 3/8 x 15/8	20 x 1.90																																								
14 x 1.75																																									
24 x 1 3/8																																									
26 x 1.95																																									
26 x 2.10																																									
700 x 28C																																									
700 x 32C																																									
700 x 35C																																									
26 x 1 1/2 x 15/8																																									
700 x 20C																																									

S-195  <table><tr><td>700 x 23C</td><td></td><td></td></tr><tr><td>26 x 1</td><td></td><td></td></tr></table>	700 x 23C			26 x 1			S-196  <table><tr><td>12 1/2x1.75x2 1/4</td><td></td><td></td></tr><tr><td>14 x 1.75</td><td></td><td></td></tr><tr><td>16 x 1.75 x 2</td><td></td><td></td></tr></table>	12 1/2x1.75x2 1/4			14 x 1.75			16 x 1.75 x 2			S-198  <table><tr><td>26 x 1.90</td><td></td><td></td></tr><tr><td>700 x 35C</td><td></td><td></td></tr></table>	26 x 1.90			700 x 35C			S-199  <table><tr><td>20 x 1.75</td><td></td><td></td></tr><tr><td>20 x 1.95</td><td></td><td></td></tr></table>	20 x 1.75			20 x 1.95			S-601  <table><tr><td>700x20C</td><td>700x25C</td></tr><tr><td>700x23C</td><td>700x28C</td></tr><tr><td>27.5 x 1.75</td><td>29 x 1.75</td></tr></table>	700x20C	700x25C	700x23C	700x28C	27.5 x 1.75	29 x 1.75	S-602  <table><tr><td>12 1/2 x 1.75 x 2 1/4</td><td>20 x 1.75</td><td>700x28C</td></tr><tr><td>14 x 1 3/8 x 1 5/8</td><td>24 x 1.75</td><td>700x38C</td></tr><tr><td>16 x 1.75</td><td>26 x 1.90</td><td></td></tr></table>	12 1/2 x 1.75 x 2 1/4	20 x 1.75	700x28C	14 x 1 3/8 x 1 5/8	24 x 1.75	700x38C	16 x 1.75	26 x 1.90	
700 x 23C																																															
26 x 1																																															
12 1/2x1.75x2 1/4																																															
14 x 1.75																																															
16 x 1.75 x 2																																															
26 x 1.90																																															
700 x 35C																																															
20 x 1.75																																															
20 x 1.95																																															
700x20C	700x25C																																														
700x23C	700x28C																																														
27.5 x 1.75	29 x 1.75																																														
12 1/2 x 1.75 x 2 1/4	20 x 1.75	700x28C																																													
14 x 1 3/8 x 1 5/8	24 x 1.75	700x38C																																													
16 x 1.75	26 x 1.90																																														
S-603  <table><tr><td>700 x 28C</td><td></td><td></td></tr></table>	700 x 28C			S-604  <table><tr><td>26 x 1 3/8</td><td>700 x 35C</td></tr><tr><td>24 x 1 3/8</td><td></td></tr><tr><td>28 x 1 1/2</td><td></td></tr></table>	26 x 1 3/8	700 x 35C	24 x 1 3/8		28 x 1 1/2		S-609  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00			S-610  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.00			S-611  <table><tr><td>26 x 1.50</td><td></td><td></td></tr></table>	26 x 1.50			S-613  <table><tr><td>24 x 1.95</td><td></td><td></td></tr><tr><td>26 x 1.95</td><td></td><td></td></tr></table>	24 x 1.95			26 x 1.95														
700 x 28C																																															
26 x 1 3/8	700 x 35C																																														
24 x 1 3/8																																															
28 x 1 1/2																																															
24 x 2.00																																															
26 x 2.00																																															
24 x 2.00																																															
26 x 2.00																																															
26 x 1.50																																															
24 x 1.95																																															
26 x 1.95																																															
S-614  <table><tr><td>24 x 1.95</td><td></td><td></td></tr><tr><td>26 x 1.95</td><td></td><td></td></tr></table>	24 x 1.95			26 x 1.95			S-615  <table><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr><tr><td>16 x 2.125</td><td></td><td></td></tr><tr><td>20 x 1.90</td><td></td><td></td></tr></table>	12 1/2 x 2 1/4			16 x 2.125			20 x 1.90			S-616  <table><tr><td>12 1/2 x 2 1/4 [DINO]</td><td>26 x 1.90</td></tr><tr><td>14 x 1 3/8 x 1 5/8 [DINO]</td><td></td></tr><tr><td>20 x 1.75 [DINO]</td><td></td></tr></table>	12 1/2 x 2 1/4 [DINO]	26 x 1.90	14 x 1 3/8 x 1 5/8 [DINO]		20 x 1.75 [DINO]		S-619  <table><tr><td>26 x 1.90</td><td></td><td></td></tr></table>	26 x 1.90			S-620  <table><tr><td>26 x 1.95</td><td></td><td></td></tr></table>	26 x 1.95			S-621  <table><tr><td>26 x 1.90</td><td></td><td></td></tr></table>	26 x 1.90														
24 x 1.95																																															
26 x 1.95																																															
12 1/2 x 2 1/4																																															
16 x 2.125																																															
20 x 1.90																																															
12 1/2 x 2 1/4 [DINO]	26 x 1.90																																														
14 x 1 3/8 x 1 5/8 [DINO]																																															
20 x 1.75 [DINO]																																															
26 x 1.90																																															
26 x 1.95																																															
26 x 1.90																																															
S-622  <table><tr><td>26 x 1.90</td><td></td><td></td></tr><tr><td>26 x 2.10</td><td></td><td></td></tr></table>	26 x 1.90			26 x 2.10			SA-201  <table><tr><td>26 x 2.10</td><td></td><td></td></tr><tr><td>700 x 35C</td><td></td><td></td></tr></table>	26 x 2.10			700 x 35C			SA-203  <table><tr><td>12 1/2 x 1.75 x 2 1/4</td><td></td><td></td></tr><tr><td>14 x 1 3/8 x 1 5/8</td><td></td><td></td></tr><tr><td>16 x 1.75</td><td></td><td></td></tr></table>	12 1/2 x 1.75 x 2 1/4			14 x 1 3/8 x 1 5/8			16 x 1.75			SA-204  <table><tr><td>20 x 2.30</td><td></td><td></td></tr></table>	20 x 2.30			SA-205  <table><tr><td>700 x 23C</td><td></td><td></td></tr><tr><td>700 x 25C</td><td></td><td></td></tr></table>	700 x 23C			700 x 25C			SA-206  <table><tr><td>10 x 2.0</td><td>14 x 1.75</td><td>22 x 1.75</td></tr><tr><td>12 1/2 x 2 1/4</td><td>16 x 1.75</td><td>24 x 1.75</td></tr><tr><td>12 1/2x1.75x2 1/4</td><td>18 x 1.75</td><td>26 x 1.75</td></tr><tr><td>14 x 1 3/8 x 1 5/8</td><td>20 x 1.75</td><td>26 x 2.10</td></tr></table>	10 x 2.0	14 x 1.75	22 x 1.75	12 1/2 x 2 1/4	16 x 1.75	24 x 1.75	12 1/2x1.75x2 1/4	18 x 1.75	26 x 1.75	14 x 1 3/8 x 1 5/8	20 x 1.75	26 x 2.10
26 x 1.90																																															
26 x 2.10																																															
26 x 2.10																																															
700 x 35C																																															
12 1/2 x 1.75 x 2 1/4																																															
14 x 1 3/8 x 1 5/8																																															
16 x 1.75																																															
20 x 2.30																																															
700 x 23C																																															
700 x 25C																																															
10 x 2.0	14 x 1.75	22 x 1.75																																													
12 1/2 x 2 1/4	16 x 1.75	24 x 1.75																																													
12 1/2x1.75x2 1/4	18 x 1.75	26 x 1.75																																													
14 x 1 3/8 x 1 5/8	20 x 1.75	26 x 2.10																																													
SA-207  <table><tr><td>16 x 1.75</td><td>22 x 1.75</td><td>700 x 37C</td></tr><tr><td>18 x 1.75</td><td>24 x 1.75</td><td></td></tr><tr><td>20 x 1.75</td><td>26 x 1.90</td><td></td></tr></table>	16 x 1.75	22 x 1.75	700 x 37C	18 x 1.75	24 x 1.75		20 x 1.75	26 x 1.90		SA-209  <table><tr><td>28 x 1.75</td><td></td><td></td></tr><tr><td>700 x 45C</td><td></td><td></td></tr><tr><td>700 x 38C</td><td></td><td></td></tr></table>	28 x 1.75			700 x 45C			700 x 38C			SA-210  <table><tr><td>18 x 2.125</td><td></td><td></td></tr></table>	18 x 2.125			SA-214  <table><tr><td>26 x 1 3/8</td><td></td><td></td></tr><tr><td>28 x 1 1/2</td><td></td><td></td></tr></table>	26 x 1 3/8			28 x 1 1/2			SA-215  <table><tr><td>700 x 23C</td><td></td><td></td></tr></table>	700 x 23C			SA-216  <table><tr><td>26 x 2.00</td><td></td><td></td></tr></table>	26 x 2.00											
16 x 1.75	22 x 1.75	700 x 37C																																													
18 x 1.75	24 x 1.75																																														
20 x 1.75	26 x 1.90																																														
28 x 1.75																																															
700 x 45C																																															
700 x 38C																																															
18 x 2.125																																															
26 x 1 3/8																																															
28 x 1 1/2																																															
700 x 23C																																															
26 x 2.00																																															
SA-218  <table><tr><td>28 x 1 1/2</td><td></td><td></td></tr></table>	28 x 1 1/2			SA-220  <table><tr><td>28 x 1 1/2</td><td></td><td></td></tr></table>	28 x 1 1/2			SA-224  <table><tr><td>24 x 2.00</td><td></td><td></td></tr><tr><td>26 x 2.10</td><td></td><td></td></tr></table>	24 x 2.00			26 x 2.10			SA-225  <table><tr><td>26 x 1.75</td><td>27.5 x 1.75</td></tr><tr><td>26 x 1.38/1.40</td><td>29 x 1.75</td></tr><tr><td>700 x 35C</td><td></td></tr></table>	26 x 1.75	27.5 x 1.75	26 x 1.38/1.40	29 x 1.75	700 x 35C		SA-227  <table><tr><td>12 1/2x1.75x2 1/4</td><td></td><td></td></tr></table>	12 1/2x1.75x2 1/4			SA-228  <table><tr><td>26 x 1.75</td><td></td><td></td></tr></table>	26 x 1.75																				
28 x 1 1/2																																															
28 x 1 1/2																																															
24 x 2.00																																															
26 x 2.10																																															
26 x 1.75	27.5 x 1.75																																														
26 x 1.38/1.40	29 x 1.75																																														
700 x 35C																																															
12 1/2x1.75x2 1/4																																															
26 x 1.75																																															

SA-229  <table><tr><td>26 x 2.10</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 x 2.10						SA-230  <table><tr><td>700 x 35C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 35C						SA-232  <table><tr><td>8 x 1 1/4</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	8 x 1 1/4						SA-233  <table><tr><td>14 x 1.75</td><td></td><td></td></tr><tr><td>16 x 1.75</td><td></td><td></td></tr></table>	14 x 1.75			16 x 1.75			SA-234  <table><tr><td>26 x 1.75</td><td>700 x 45C</td></tr><tr><td>700 x 35C</td><td>28 x 1 1/2</td></tr><tr><td>700 x 38C</td><td></td></tr></table>	26 x 1.75	700 x 45C	700 x 35C	28 x 1 1/2	700 x 38C		SA-235  <table><tr><td>700 x 38C</td><td>20 x 1.50</td></tr><tr><td>26 x 1.75</td><td>16 x 1.50</td></tr><tr><td>26 x 1.50</td><td>26 x 1.15</td></tr></table>	700 x 38C	20 x 1.50	26 x 1.75	16 x 1.50	26 x 1.50	26 x 1.15						
26 x 2.10																																															
700 x 35C																																															
8 x 1 1/4																																															
14 x 1.75																																															
16 x 1.75																																															
26 x 1.75	700 x 45C																																														
700 x 35C	28 x 1 1/2																																														
700 x 38C																																															
700 x 38C	20 x 1.50																																														
26 x 1.75	16 x 1.50																																														
26 x 1.50	26 x 1.15																																														
SA-236  <table><tr><td>26 x 1.95</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 x 1.95						SA-237  <table><tr><td>27 x 1 3/8</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	27 x 1 3/8						SA-238  <table><tr><td>20 x 2.125</td><td></td><td></td></tr><tr><td>24 x 2.125</td><td></td><td></td></tr><tr><td>26 x 2.125</td><td></td><td></td></tr></table>	20 x 2.125			24 x 2.125			26 x 2.125			SA-239  <table><tr><td>26 x 2.10</td><td>27.5 x 2.50</td></tr><tr><td>26 x 2.35</td><td></td></tr><tr><td>26 x 2.50</td><td></td></tr></table>	26 x 2.10	27.5 x 2.50	26 x 2.35		26 x 2.50		SA-240  <table><tr><td>20 x 1.75</td><td>26 x 2.00</td></tr><tr><td>20 x 2.125</td><td></td></tr><tr><td>26 x 1.75</td><td></td></tr></table>	20 x 1.75	26 x 2.00	20 x 2.125		26 x 1.75		SA-243  <table><tr><td>24 x 1.75</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	24 x 1.75								
26 x 1.95																																															
27 x 1 3/8																																															
20 x 2.125																																															
24 x 2.125																																															
26 x 2.125																																															
26 x 2.10	27.5 x 2.50																																														
26 x 2.35																																															
26 x 2.50																																															
20 x 1.75	26 x 2.00																																														
20 x 2.125																																															
26 x 1.75																																															
24 x 1.75																																															
SA-249  <table><tr><td>700 x 23C</td><td></td><td></td></tr><tr><td>700 x 25C</td><td></td><td></td></tr></table>	700 x 23C			700 x 25C			SA-251  <table><tr><td>26 x 2.125</td><td>26 x 1.75</td></tr><tr><td>20 x 1.75</td><td></td></tr><tr><td>24 x 2.00</td><td></td></tr></table>	26 x 2.125	26 x 1.75	20 x 1.75		24 x 2.00		SA-252  <table><tr><td>26 x 2.125</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 x 2.125						SA-253  <table><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	12 1/2 x 2 1/4						SA-254  <table><tr><td>26 x 1.95</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 x 1.95						SA-255  <table><tr><td>26 x 2.10</td><td>26 x 2.80</td></tr><tr><td>29 x 1.90</td><td></td></tr></table>	26 x 2.10	26 x 2.80	29 x 1.90									
700 x 23C																																															
700 x 25C																																															
26 x 2.125	26 x 1.75																																														
20 x 1.75																																															
24 x 2.00																																															
26 x 2.125																																															
12 1/2 x 2 1/4																																															
26 x 1.95																																															
26 x 2.10	26 x 2.80																																														
29 x 1.90																																															
SA-256  <table><tr><td>700 x 45C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 45C						SA-257  <table><tr><td>26 x 1.95</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 x 1.95						SA-258  <table><tr><td>27.5 x 2.10</td><td></td><td></td></tr><tr><td>27.5 x 2.25</td><td></td><td></td></tr><tr><td>29 x 2.10</td><td></td><td></td></tr></table>	27.5 x 2.10			27.5 x 2.25			29 x 2.10			SA-259  <table><tr><td>10 x 2.0</td><td></td><td></td></tr><tr><td>12 1/2 x 2 1/4</td><td></td><td></td></tr></table>	10 x 2.0			12 1/2 x 2 1/4			SA-262  <table><tr><td>700 x 35C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 35C						SA-263  <table><tr><td>27.5 x 2.10</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	27.5 x 2.10								
700 x 45C																																															
26 x 1.95																																															
27.5 x 2.10																																															
27.5 x 2.25																																															
29 x 2.10																																															
10 x 2.0																																															
12 1/2 x 2 1/4																																															
700 x 35C																																															
27.5 x 2.10																																															
SA-264  <table><tr><td>29 x 2.25</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	29 x 2.25						SA-265  <table><tr><td>700 x 38C</td><td></td><td></td></tr><tr><td>225 x 48</td><td></td><td></td></tr></table>	700 x 38C			225 x 48			SA-266  <table><tr><td>50 x 160</td><td></td><td></td></tr><tr><td>225 x 48</td><td></td><td></td></tr><tr><td>280 x 65</td><td></td><td></td></tr></table>	50 x 160			225 x 48			280 x 65			SA-267  <table><tr><td>700 x 24C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 24C						SA-269  <table><tr><td>700 x 28C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 28C						SA-270  <table><tr><td>26 x 2.10</td><td></td><td></td></tr><tr><td>27.5 x 2.10</td><td></td><td></td></tr><tr><td>29 x 2.10</td><td></td><td></td></tr></table>	26 x 2.10			27.5 x 2.10			29 x 2.10		
29 x 2.25																																															
700 x 38C																																															
225 x 48																																															
50 x 160																																															
225 x 48																																															
280 x 65																																															
700 x 24C																																															
700 x 28C																																															
26 x 2.10																																															
27.5 x 2.10																																															
29 x 2.10																																															
SA-272  <table><tr><td>28 X 2.00</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	28 X 2.00						SA-274  <table><tr><td>700 x 40C</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	700 x 40C						SA-275  <table><tr><td>26 X 2.35</td><td></td><td></td></tr><tr><td>29 x 2.35</td><td></td><td></td></tr></table>	26 X 2.35			29 x 2.35			SA-280  <table><tr><td>26 X 4.0</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	26 X 4.0						SA-281  <table><tr><td>27.5 x 2.80</td><td></td><td></td></tr><tr><td>27.5 x 3.00</td><td></td><td></td></tr></table>	27.5 x 2.80			27.5 x 3.00			SA-282  <table><tr><td>27.5 x 2.35</td><td>26 x 1.95</td></tr><tr><td>20 x 1.95</td><td>22 x 1.95</td></tr><tr><td>24 x 1.95</td><td></td></tr></table>	27.5 x 2.35	26 x 1.95	20 x 1.95	22 x 1.95	24 x 1.95							
28 X 2.00																																															
700 x 40C																																															
26 X 2.35																																															
29 x 2.35																																															
26 X 4.0																																															
27.5 x 2.80																																															
27.5 x 3.00																																															
27.5 x 2.35	26 x 1.95																																														
20 x 1.95	22 x 1.95																																														
24 x 1.95																																															
SA-283  <table><tr><td>27.5 x 2.25</td><td></td><td></td></tr><tr><td>26 x 1.75</td><td></td><td></td></tr></table>	27.5 x 2.25			26 x 1.75																																											
27.5 x 2.25																																															
26 x 1.75																																															

100% TESTED QUALITY

INNER
TUBE LIST

Our inner tubes and valves are individually inspected through a 24 h inflated pressure test to guarantee full performance and impeccable quality.

	SIZE	ETRTO
10"	10 X 2.0/2.125	54-152
	50 X 160	57-152
11"	11 X 1 3/4	47-222
12"	12 X 1.75 X 2 1/4	47-203
		47-203
	12 1/2 X 2 1/4	50-203
	12 1/2 X 1.75 /1.90*	62-203
	12 X 1 3/8 X 1 5/8	---
14"	14 X 1 1/4	32-298
	14 X 1 1/2 NL	40-288
	14 X 1 3/8 X 1 5/8 350A	44-288
		47-254
	14X1.75/2.125	54-254
		56-254
		57-254
16"	14 X 2.125	57-254
		40-305
	16 X 1.50/2.00*	47-305
		50-305
		54-305
		47-305
	16 X 1.75/2.125	50-305
		54-305
		57-305
	16 X 2.125*	57-305
	16 X 1 3/8-1 3/4	37-349
		47-349
18"	16 X 3.0	---
	18 X 1 3/8	37-400
	18 X 1.75/2.125	47-355
20"		57-355
	20 X 1 3/8	37-451
		40-406
	20 X 1.50/2.00*	47-406
		50-406
		54-406
		47-406
	20 X 1.75/2.125	50-406
22"		54-406
		57-406
	20 X 2.125/2.30*	57-406
	22 X 1 3/8	58-406
		37-501
		47-456
24"	22 X 1.75/2.125*	50-456
		54-456
		57-456
	600A	32-541
26"	24 X 1 3/8	37-540
		40-507
		47-507
	24 X 1.50/2.00	50-507
		54-507
		47-507
	24 X 1.75/2.125	50-507
		54-507
		57-507
	24 X 2.125/2.30*	57-507

	SIZE	ETRTO
26"		25-559
		28-559
		30-559
	650 X 20/23C	32-559
		18-571
		20-571
		23-571
	26 X 1 1/4 - 1 3/8	32/37-590
	26 X 1 1/2 X1 3/8	37-584
	650 X 35B	40-584
	26 X 1 3/8	37-590
	26 X 1 1/2 (650B STD)	40-584
		44-584
	26 X 1 1/2 X 1 5/8 (650B 1/2BALLON)	47-584
	26 X 1 1/2 X 2	54-584
27"		40-559
		47-559
	26 X 1.50/2.00	50-559
		54-559
		47-559
	26 X 1.75/2.125*	50-559
		54-559
		56-559
		57-559
	26 X 2.125/2.35*	57-559
28"	26 X 2.20/2.50	---
	26 X 2.50/3.00	62-559
		75-559
	26 X 4.0	100-559
	27 X 1 1/4/1 3/8*	32-630
		37-630
		47-584
	27.5 X 1.75/2.125	50-584
		54-584
		57-584
29"		54-584
	27.5 X 2.10/2.40	57-622
	27.5 X 2.20/2.50	60-584
	27.5 X 2.50/3.00	---
		62-584
		75-584
	28 X 3/4 (700 X 19/23C)	19-622
		20-622
		22-622
		23-622
30"		25-622
	28 X 1 5/8 X 1 1/8*	28-622
		(700 X 25/28C)
		32-622
	28 X 1 3/8 X 1 5/8*	37-622
		(700 X 32/40C)
		40-622
		42-622
	700x40/45c	42-622
	700 X 45C	45-622

*available for thornproof

OUR DETAILS

AVAILABLE VALVES

Deli Tire produces its tires using four types of valves, ensuring the maximum compatibility.



AMERICAN VALVE
AR



ITALIAN VALVE
Italian



ENGLISH VALVE
Tr-1 / Easy Pump



FRENCH VALVE
36/43/52/60/80 mm

PACKAGING

AFTERMARKET

Put a tire expert in your shop. Deli Tire tires and tubes can come with special branded aftermarket boxes.



BICYCLE TUBE
PACKAGING



DELIUM FOLDING TIRE
PACKAGING



BIKE TIRE
PACKAGING



PT. INDUSTRI KARET DELI
JL. Kom. Laut Yos Sudarso
km 8.3 Medan 20241
North Sumatera - Indonesia

Phone: [62 61] 6612611
Fax: [62 61] 6614611
Email: sales@delitire.com